## **Issue Analysis Form**

Date: July 23, 2019

Item: Future Utility Capital Projects

Lead Department: Engineering & Utilities

Contact Persons: Frank Haltom, Director

#### **Description and Current Status**

Staff will give a presentation to show the recommended priorities for future capital expansion of the water and wastewater infrastructure to address capacity needs to support economic development plans.

The areas of priority addressed in this presentation include:

Southpoint Business Park
Exit 45 Commercial/Housing
Route 10 Commercial/Housing
Property on Rives Road at I-95 & I-295.

Government Path		
Does this require IDA action?	☐ Yes	⊠ No
Does this require BZA action?	☐ Yes	⊠ No
Does this require Planning Commission action?	☐ Yes	⊠ No
Does this require Board of Supervisors action?	☐ Yes	□ No

### **Fiscal Impact Statement**

These projects have the potential to impact future customer user fees and connection fees.

### **Prince George County Impact**

Determining the priorities of future water and wastewater capital projects will help develop the future capital improvement plans for the Public Utility.

#### **Notes**

None.



## **Issue Analysis Form**

Date: July 23, 2019

Item: Modifications to the Water and Wastewater

Master Plan

None.

Lead Department: Engineering & Utilities
Contact Persons: Frank Haltom, Director

# Description and Current Status

The Prince George County Water and Wastewater Master Plan (January 2016, prepared by Dewberry Engineers, Inc.) is designed to serve, in conjunction with the County's Comprehensive Plan, as a roadmap or guide for water and wastewater capital infrastructure improvement and expansion. The Master Plan is the result of a comprehensive evaluation of existing facilities, development of water and wastewater system computer models, and planning for new infrastructure to meet demand projections through the 2045 planning period. The Prince George County Board of Supervisors adopted the Master Plan in March 2016.

The Master Plan contains a condition assessment of the existing water and wastewater facilities, attached to the Master Plan as Appendix B. This assessment was performed in 2014. Nearly five years later, many of the deficiencies of the utilities listed in the Master Plan have been addressed. However, the Master Plan has not been updated to reflect these improvements. Therefore, in order to reduce confusion on the status of the water and wastewater facilities improvements, it is recommended to remove this appendix until such a time the Master Plan is updated in future years.

Government Path		
Does this require IDA action?	☐ Yes	⊠ No
Does this require BZA action?	□ Yes	⊠ No
Does this require Planning Commission action?	☐ Yes	⊠ No
Does this require Board of Supervisors action?  A public hearing must be held prior to modifying the adopted master plan.	⊠ Yes	□ No
Fiscal Impact Statement		
None.		
Prince George County Impact		
None.		
Notes		