

Issue Analysis Form



Date: September 28, 2021
Approval of Ambulance
Purchase & Award of
Contract Southeastern
Specialty Vehicles - \$270,970

Item:

Lead Department(s): Fire & EMS / Finance

Contact Person(s): Paul Beamon / Betsy Drewry

Description and Current Status

Approval of Ambulance Purchase and Award of Contract to Southeastern Specialty Vehicles - \$270,970.

The purchase of a replacement ambulance is recommended to replace one of our 2012 ambulances that is experiencing increasing mechanical failures and has 126,124 or the other that has 126,061 miles / machine hours.

Staff is recommending the purchase of a 2021 Superliner ambulance (Lifeline Emergency Vehicle) using an HGACBuy Cooperative Contract #AM10-20 for **\$270,970**. Sufficient funding is available within the Fire Apparatus account within the CIP fund. As of September 1, 2021, \$318,065.36 was available within the Apparatus Account (after FY2022 General Fund Transfer).

Their proposed contract is provided as **Attachment A** for Board Member review.

Board Action Requested:

Authorize County Administrator to execute a contract with Southeastern Specialty Vehicles for a total of \$270,970.00. A draft resolution is provided for board consideration and possible approval.

Government Path

Does this require IDA action?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Does this require BZA action?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Does This require Planning Commission Action?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Does this require Board of Supervisors action?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Does this require a public hearing?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
If so, before what date?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Fiscal Impact Statement

There is no **added** fiscal impact to the County. Funds are available within the Apparatus Account within the CIP Fund (devoted 2 cents of Real Estate tax by ordinance 74-4).

County Impact

Currently, there is an average of an 18-month lead time for new ambulances. We intended to take one of our existing 2012 ambulances and have the box remounted on a new truck, but with the aging fleet, we are experiencing many mechanical issues resulting in more extended downtimes at the garage and a decrease in ambulances to use as backups. The manufacturer has one ambulance currently in production that they are building to our current specs and has stated that we can deliver by no later than March of 2022. With the addition of the new ambulance, the County will maintain the reliable responses we have provided without the risk of mechanical failure. Then at the time that manufacturing resumes, we can take one of the 2012 ambulances and remount the box providing a significant cost saving to the County.

Notes



Manufacturers of Quality Built Emergency Apparatus

CONTRACT FOR EMERGENCY VEHICLE

Date: September 10, 2021

Prince George Fire & EMS
6602 Courts Drive
P.O. Box 68
Prince George, Virginia 23875

Southeastern Specialty Vehicles, Inc., (Seller) hereby proposes and agrees to furnish to Buyer, after Buyer's acceptance of this proposal and the proper execution and approval of the accompanying Work Order / contract, the following:

Product and Services: One (1) Life Line Emergency Vehicles Type I Superliner ambulance, built on 2021 model year Ford F450 4WD chassis.

All of which are to be built in accordance with the attached specifications, and which are made part of this agreement and contract, to deliver same approximately DELIVERY IN DAYS HERE days from receipt of the following, subject to all causes beyond our control:

- (1) This signed contract,
- (2) Chassis delivered to our location,
- (3) Your executed Purchase Order meeting these terms and specifications and,
- (4) An approved Work Order with all specifications, properly executed,

Price: For the sum of: **Two Hundred Seventy Thousand Nine Hundred Seventy Dollars & Zero Cents. (270,970.00) - () Initials.**

Terms: The Price for the Product is **F.O.B.: Henderson, North Carolina**

Payment Terms: Payment in full is required at time of final inspection to be held at Southeastern Specialty Vehicles Inc., located in Henderson, North Carolina 27537, or at the manufacturer of record. Late payments are subject to a \$1000.00 Fee plus daily interest of 18% APR, unless prior arraignments

PHONE 866-640-2028

FAX 252-430-1503

911 Martin Creek
Henderson, NC 27537
www.SSVsales.com



have been made with President of Southeastern Specialty Vehicles, Inc.

Validity: The amount named above in this proposal shall remain firm for a period of sixty (60) days from the date shown above and after that date the amount is no longer valid. For this Contract to be valid, the dates of both party's execution below must be within sixty (60) days of the date on page one.

Applicable Taxes Not Included: All State, Federal and Local Taxes are not included in the amount above and all applicable taxes are to be paid by the Buyer upon registration and licensing of the vehicle.

Complete Agreement: This Contract and accompanying Specifications and Work Orders constitute our full agreement and no other offers, side agreements or commitments exist between the parties.

FOR BUYER:

Prince George Fire & EMS

BY: _____

NAME/TITLE: _____

DATE: _____

FOR SELLER:

SOUTHEASTERN SPECIALTY VEHICLES, INC.

BY: *Dennis Tingen*

NAME/TITLE: Dennis Tingen

DATE: September 10, 2021

PHONE 866-640-2028

FAX 252-430-1503

911 Martin Creek
Henderson, NC 27537
www.SSVsales.com



Thank you for considering Southeastern Specialty Vehicles for your next emergency vehicle purchase and we look forward to the opportunity to work with the Prince George Fire & EMS on this special project.

We have always strived to produce emergency vehicles for our customers that are of good quality and affordable; along with keeping our customers first.

As you consider your vendor choices, we would like you to make note of the following important information about our company:

- ❖ **Established in 1996**
- ❖ **CAAS certified remount facility**
- ❖ **\$ 5,000,000.00 product liability insurance**
- ❖ **Member of NFPA**
- ❖ **Member of National Truck Equipment Association**
- ❖ **Ambulance Manufacturer Division**
- ❖ **Full Manufacturing & Service Center**
- ❖ **Onsite Mobile Service**
- ❖ **EVT Certified Technicians**

Again, thank you for your consideration.

Sincerely,

Dennis Tingen
Director of Sales & Customer Operations
Southeastern Specialty Vehicles

PHONE 866-640-2028

FAX 252-430-1503

911 Martin Creek
Henderson, NC 27537
www.SSVsales.com



PHONE 866-640-2028

FAX 252-430-1503

911 Martin Creek
Henderson, NC 27537
www.SSVsales.com

SOUTHEASTERN SPECIALTY VEHICLES

ATTACHMENT A

CUSTOMER INFORMATION FORM*(to be completed for title paperwork)*Customer Name: Prince George Fire & EMS PO #: _____Address Deliver To: 6602 Courts DriveCity: Prince George State: Virginia Zip Code: 23875

Contact Name & Title or Person responsible for signing off on vehicle for payment:

Jason Koren Cell: 804-712-5886Phone: 804-458-2089 Fax: _____ Email: jkoren@princegeorgecountyva.gov

Billing Contact name & Title: _____

Billing Address : _____

City: _____ State: _____ Zip Code: _____

Phone: _____ Fax: _____ Email: _____

Send Invoice to: _____**Email:** _____ **Phone:** _____Payment Terms: C.O.D. UNLESS APPROVED BY MGMT.

Special Notes Concerning Payment Terms: _____

How long of a notice will customer need before delivery to have payment ready: _____

Delivery Options: Pick Up at Facility: Deliver to Customer:Bid/Proposal Price: \$270,970.00 Delivery Date: Est. FebruaryInvoice Amount: \$270,970.00 Invoice #: _____ Date Sent: _____

Title Vehicle To: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Lien Holder Info (if any): _____

Send Title/MSO To (if different from Title Vehicle To): _____

Attention To: _____ **Address:** _____

City: _____ State/Zip Code: _____ Phone: _____

VEHICLE INFORMATION:Chassis Type: 2021 Ford F450 4WDVehicle Type: Life Line Emergency Vehicles Type I Superliner



LIFE LINE

EMERGENCY VEHICLES

Prince George Fire & EMS

Prince George County Fire & EMS
 Jason Koren
 6602 Courts Drive
 Prince George, Virginia 23875
 804-458-2089
 JKorn@princegeorgecounty.gov

Southeastern Specialty Vehicles
 Dennis Tingen
 911 Martin Creek Road
 Henderson, North Carolina 27537
 866-640-2028
 Ext. 5101
 Dennis.Tingen@ssvsales.com

Exp. Date: 05/20/2021
 Quote No: 01227-0002
 Job/Order No: 512321SD1
 BODY: SUPER D

TYPE I SUPERLINER
 167" SUPERLINER TYPE I

09/10/2021 09:42:19




Page 1

PART NO	DESCRIPTION	QTY
	== 167" SUPERLINER TYPE I - 1.000 04/01/21 ==	1
	MASTER PARTS REVISION DATE (Start 04-01-21 to 07-08-21)	1
00-00-0500	LIFE LINE WARRANTY Warranties Include: Lifetime Modular Body Warranty Lifetime Electrical Harness Warranty Lifetime Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 10-Year/100,000 Mile Electrical Warranty Elite System 6-Year Pro-Rated LL Paint Warranty Which is as follows: For 3 Years 100% 4th Year 50% 5th Year 25% 6th Year 10%	1
00-00-0700	>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer: 07-13-21 Draft Work Order Process Date: 07-16-21 1st Dealer Draft Date: 08-09-21 Final Dealer Draft Date: 08-26-21 Sign-Off Date: Parts/Drafting/Paint:	1

09/10/2021 09:42:19






Quote No: 01227-0002

Page 2

PART NO	DESCRIPTION	QTY
	Shop Release Date:	
	SFD:	
00-00-0800	Customer Contact Person (Required For Factory Use) Specify Name And Number: Dennis Tingen Dennis.Tingen@ssvsales.com 919-812-3049	1
00-00-3105	Sales Rep: Dennis Tingen 919-812-3049 Southeastern Specialty Vehicles	1
00-00-FL00	Fill Unit With Fuel For Delivery (Charge To Dealer Account)	1
00-00-FN00	Specify FORD Fleet Number If Available (FORD Chassis Only) Specify FIN Number:T.B.A. If Available.	1
00-00-PU00	Specify Previous Unit Number: (FACTORY USE ONLY) 4521	1
00-00-W510	Life Line Work Order Contact Person - Randee Winter	1
	BODY STYLE	1
00-02-1600	171" x 96" SUPERLINER TYPE I CRAWL-THRU (F-450/550 OR DODGE) Includes Crawl-Thru Option. With Sliding Door unless otherwise specified in section 15. Call For Factory Approval Before Customer Quote. Call For Chassis Pricing.	1
15-01-8510	-- Cab To Module Sliding Crawl-Thru Door	1
	CHASSIS	1
10-00-0100	Chassis VIN Number: (FACTORY USE ONLY)	1
10-00-4900	2021 Ford F-450 193" W.B. 16,500 GVWR 4 WD Cab/Chassis With Standard Ford O.E.M. 3-Year/36,000 Mile Warranty.	1
	 Using 2020 Ford F450 SSV Reserved Chassis.	
10-00-5310	-- Order Ford Chassis with OEM Aluminum Wheels ILOS Steel Wheels Ordered on Chassis	1
		
10-00-5405	-- Order Ford F-Series Chassis with 21N Navigation System Ordered on Chassis Code 21N Navigation System	1
		

09/10/2021 09:42:19

Quote No: 01227-0002

PART NO	DESCRIPTION	QTY
15-02-2605	 <p>-- Standard F-Series DEF Fill Mounted Streetside Module in Front of Wheel Well Mounted On The Streetside Module Body in Front of Wheel Well.</p>	1
60-01-4500	 <p>-- Federal Signal ES100C Behind Bumper Siren Speakers (F-Series) Mounted Behind Bumper Wings "F" guard Cover Included</p>	1
10-00-6050	Liquid Spring Suspension Kit For Ford F-Series ALL WARRANTY ISSUES/CLAIMS GO TO THE INSTALLER Installed By: Al Meyer - 563-578-8650 Controller Located Left of OEM Steering Wheel	1
10-01-3400	**FACTORY USE ONLY** Spare Chassis Keys And Owner's Manual Present.	1
10-01-8000	Delete Standard Wheel Covers	1
10-01-9500	Ship The Spare Tire Loose	1
		
10-02-1200	F-Series O.E.M. Door Mirrors Dual Arm Power/Heated Trailer Tow Mirrors.	1
10-02-3500	O.E.M. AM-FM Radio W/Cab Speakers	1
10-02-5000	Low Voltage Throttle Manager	1
10-02-5700	Hand Held Cab Spot Light 12 volt outlet included. Ship Loose. Outlet and Light Per 4521	1
10-03-1500	 <p>Bosch Digital Engine Hourmeter On Driver's Side Of Front Console Mounted On The Driver's Side Of The Front Console. LL E18076</p>	1
10-03-4010	 <p>Flexible Shaft LED Map Light On Passenger's Side Of Console Mounted On The Passenger's Side Of The Front Console. (Federal LF12ES-LED Little).</p>	1
10-03-8200	<p>Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System w/"OS" Light Wire Circuit To Auto Dump From The Secondary Rear Door Switch. Includes: Stainless Steel Guard LL# E24072 ON/OFF Safety Switch On Inner Primary Rear Door Panel. Whelen Red "OS" System Dumped Warning Light On Front Console. Neutral Safety Circuit (Will Not Dump In Drive Gear).</p>	1

09/10/2021 09:42:19

Quote No: 01227-0002



Page 4

PART NO	DESCRIPTION	QTY
	(THIS FEATURE NOT ON LIQUID SPRING)	
10-03-8900	3 Battery Package Standard-All Matching CCA Of The Standard Battery 2 OEM Batteries remain under the chassis hood, with the third battery in exterior compartment.	1
10-04-3500	Owner's Manual (1 Included With Unit)	1
10-04-3520	Owner's Manual Holder Ship Loose	1
10-04-8600	S.V.I. Whelen 2" Round 5mm LED Cab Warning Lights (Pr) (1) Whelen T0R00MRR Red LED Mounted On The Cab Roof Liner. Flashing Light To Indicate Open Compartment/Entry Doors. (Surface Mount Chrome Flange Mount TFLANGEC). (1) Whelen T0A00MAR Amber LED Mounted On The Cab Roof Liner. Flashing Light To Indicate The Parking Brake Is Applied When The Unit Is Placed Into A Drive Gear. (Surface Mount Chrome Flange Mount TFLANGEC). Both Mounted Between The O.E.M. Visors. Label Each Light For Function: "OPEN DOOR" "EMERGENCY BRAKE APPLIED" Stainless Steel With Black Letters.	1
10-05-4020	Ignition Override Theft Protection Device By Kussmaul Specify Control Location: Top left corner of console. Kussmaul 091-160 F-Series	1
10-CS-1401	Goodall Jumper Cable Pre-Wire Includes Full Set Of Jumper Cables Includes Power And Ground Circuit To The Onboard Batteries. Includes Cable End Adapter. Specify Termination Location: Passenger side running board toward the front.	1
10-DL-0100	Third Battery in Slide Out Tray Specify Custom Option: Install 3rd matching battery for HED G3 system in slide out tray. P3 Compartment behind the side entry door.	1
10-DL-0200	Aries Grille & Brush Guard Specify Custom Option: Install Aries Pro Series Black Grille Guard P3067 PN #468921534 Black in color with LED grille guard to hold Whelen Dominator light. PN #DP640020	1
10-DL-0300	Custom Troy Console Specify Custom Option:	1
10-DL-0400	Large Custom Console Install Specify Custom Option:	1

09/10/2021 09:42:19

Quote No: 01227-0002



Page 5

PART NO	DESCRIPTION	QTY
	MODULAR BODY TYPE I	1
15-01-1655	KKK Package Thru Current Change Notice Includes: Upgraded Vinyl 40oz or better (2)-5# Fire Extinguishers Oxygen Wrench Lock on Cab to Module Door or Window, lockable from Cab & Module side Meet Federal K-Spec Up Thru Current Change Notice Includes Weight Labels On All Interior Cabinets And Shelves Includes SSCOR Onboard Cannister Clip #230-00003	1
65-17-0269	 -- Seam Sealed Cushions "KKK" Vinyl: DA-324 Gunmetal (Medium Gray) This Vinyl May Be Sent to EVS For Back Rests & Medi-Vac Seating For Exact Matches.	1
90-01-5100	-- Install 3/4" White Reflective Tape Around Side And Rear Entry Doors KKK-F Certification Requirement.	1
15-01-5200	74" Finished Headroom THIS OPTION REQUIRES FACTORY APPROVAL BEFORE ORDERING.	1
15-02-0000	Standard Perko Body Intake And Exhaust Vents (3-STD)	1
15-02-1600	1 Piece Stainless Steel Wheel Well Trim Rings (Small) 18.75" radius for Ford F-Series	1
15-02-2500	Standard Cast Fuel Fill Housing	1
15-02-3210	 Placard Holder & Plate Painted & Mounted to Module Body (Ea) Specify dimensions: Specify location(s): Holders include a "J" channel for the placard. On all placard holders there shall be a set screw on the open end for securing the placard in place.	2
85-02-9700	-- Placard To Be Painted To Match Module	2
15-CS-9902	Standard 3" Lowered Front Body Skirts F-Series & Dodge Includes Dual Side Entry Step	1
	MODULE DOORS AND WINDOWS	1
20-00-0100	2 Red Reflectors On Each Module Entry Door One Mounted At The Top And One Mounted At The Bottom.	1
20-00-0500	Combination Extruded/Pan Formed Module Entry Doors With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate	1
20-01-0000	Full Height Side Entry Door With Gas Style Hold-Open Position The Hold-Open At 90 Degrees.	1

09/10/2021 09:42:20

Quote No: 01227-0002

Page 6

PART NO	DESCRIPTION	QTY
20-01-1000	Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape	1
20-01-3000	Sliding Side Entry Door Window (Dark Tint) Sliding Window With Screen And Dark Tint.	1
20-01-3500	Rear Doors With Grabber Style Hold-Opens Install the hold opens on the lower portion of door ILOS.	1
20-01-5500	Fixed Rear Entry Door Windows (Dark Tint) With Dark Tint Option.	1
20-01-9000	Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea) Specify Deletion Location: Side and Rear Entry Doors	3
20-02-0000	 Tri-Mark 030-18 Free Float Handles with Chrome Exterior And Black Pocket	1
20-02-1500	Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	1
20-02-1600	Secondary Door Release Latches On All Entry Doors (3) L04025 Label LH Arrow (3) L04026 Label RH Arrow	1
20-02-2500	Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500	Cage Nuts On All Door Panels	1
20-02-4000	Polished Diamond Plate Lower Module Entry Door Trim Panels	1
20-02-6000	Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD	1
20-02-9025	 ZICO 8" Drop Electric Side Entry Door Step "Quick Step" Part # VS-24-9 7-5/8" Drop 8-3/8" Step Depth Wired Thru The Side Entry Door Jamb Switch. Install Rubber Debri Flaps On The Forward And Rear Edges.	1
	EXTERIOR COMPARTMENTS	1
25-00-0100	SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
25-00-0200	2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartment Door.	1
25-00-0500	Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted. Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door	1

09/10/2021 09:42:20

Quote No: 01227-0002

PART NO	DESCRIPTION	QTY
	Opening. Does Not Include Doors That May Hit Other Compartment Doors	
25-00-0600	Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000	Magnetic Compartment Door Switches	1
25-01-1000	Polyurethane Compartment Lining-Standard Gray	1
25-01-2500	Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard.	1
	The Standard Light Lengths Used Are: 18" E22140 31.5" E22141 54" E22145 72" E22149	
25-01-3300	Black Texture Coated Aluminum Exterior Compartment Vents	1
25-04-3000	Delete Superliner Curbside Front Backboard Compartment Specify Alternate Backboard Compartment: P5	1
25-04-4000	Half Height Superliner Curbside Front IS/OS Compartment P-1 Compartment Goes below floor level like unit #4521.	1
25-04-5500	1 Fixed And 2 Adjustable IS/OS Compartment PVC Shelves (1) Adjustable In The Upper Section. (1) Adjustable In The Lower Section. Compartment Design-See Drawings 4521-S1E	1
25-04-7000	Cabinet Liner Lined Walls In The IS/OS Compartment	1
25-04-8000	Delete Std. Curbside Front Battery Compartment Delete this compartment. IS/OS compartment to for ALS to be designed taking in this area. See Drawings 4521-S1E	1
25-04-9000	Add Curbside Compartment Ahead Of The Wheel Well P3-Make OEM battery compartment. See Drawing 4521 S1E	1
25-05-3000	Superliner Curbside Rear Backboard Compartment P-5 Compartment Includes Fixed Vertical Divider And Horizontal Shelf. Install The Vertical Divider Approx. 12" From Wall #3. Install The Horizontal Divider On The Right Side. Includes Small Utility Compartment Behind The Wheel Well Area. P-4 Compartment Height to the Base Of The Squad Bench.	1
25-05-3500	Superliner Full Height Streetside Front Compartment D-2 Compartment Zico OTS System to be installed in compartment.	1
25-05-5000	Superliner Streetside Double Door Intermediate Compartment D-3 Compartment Reinforce Wall #1 for (1) SCBA Bracket	1

09/10/2021 09:42:21

Quote No: 01227-0002






Page 8

PART NO	DESCRIPTION	QTY
25-05-6000	Streetside Wheel Well Compartment W/Bottom Hinged Door D-4 Compartment	1
25-05-9000	Custom Height Single Door Streetside Rear Compartment D-5 Compartment Reinforce compartment door to mount Haligan Tool.	1
25-11-7000	Engineering Charge For Custom Compartment (Ea) Specify Custom Compartment Design And Location : D-1 Compartment above D2 2nd custom compartment will be P-3 for a battery compartment behind the side entry door or just in front of wheel well.	2
25-12-1000	Fixed .125" Vortex Covered Aluminum Vertical Divider (Ea) Specify Compartment: D5-right side of compartment. 27" Total Height 11" From Right Side Wall	1
25-12-4000	Fixed .125" Vortex Covered Aluminum Horizontal Divider (Ea) Specify Compartment: D-5 Compartment Right Side of Compartment. Horizontal shelf 17" from floor Horizontal shelf 27" from floor enclosing top.	2
25-12-6000	Sweep Out Level Compartment Floor (Ea) Specify Compartment: P-1, P-4, P-5, D-2, D-5 D-3 Floor is Raised For AC Condenser so doesn't need to be ordered sweep out.	5
25-12-8000	Add IS/OS Access To Exterior Compartment (Ea) Specify Compartment: P-5	1
25-12-9000	Black Dri-Dek On Compartment Floor (Each) Specify Compartment: D3, D5, P1 (below floor level), P4, P5	5
25-CS-0510	Custom Compartment Notch (ea) Specify Compartment: D-3 for Interior Cabinet Design.	1
25-DL-0100	Backboard Retainer Channels Specify Custom Option: Provide rubber backboard retainer channels for (3) backboards in the Curbside Rear Backboard Compartment. Channels are to be mounted in the left side of the compartment (with adequate spacing between the channels to accommodate the backboards) on Wall #2 and the compartment floor.	3
	REAR STEP AND BUMPER ASSEMBLY	1

09/10/2021 09:42:22

Quote No: 01227-0002


Page 9

PART NO	DESCRIPTION	QTY
30-01-1500	STD Rear Bumper W/Rubber Dock-Tow Hook Options Standard Rear Bumper With Rubber Dock Bumper And Tow Hook Options. Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height. Tow Hooks Are Mounted Under The Bumper. Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	1
30-01-3500	Full Width Diamond Plate Rear Kick Plate	1
30-01-5000	Recessed Texture Black Tow Eyes In Rear Kick Plate Black Only	1
	IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD	1
35-01-0000	One Piece Body Side Panels With Lower Impact Rails Includes Lower Impact Rails Only.	1
35-01-3000	 Diamond Plate Running Boards With Grip Strut Grip strut welded into running board.	1
35-01-7000	 Whelen T0CACCCR Surface Mounted Running Board Lights (Pr) 2" Lights Are Mounted With TFLANGEC Chrome Flanges.	1
35-01-7500	Rear Mud Flaps With Metal Stabilizers	1
35-01-9000	 Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-0000	 Drip Rail Over Door (Ea.) Specify Compartment: All Compartment and Entry Doors. Ship Loose P1,P2,P3,P4,P5,R1,D1,D2,D3,D4,D5	11
35-02-0900	 Frame Rail Cover A Full Width Diamond Plate Frame Cover to Be Installed Between the Cab and the Module.	1
35-02-2500	36" High Front Stone Guards With Sealed Top Edge.	1
35-02-4500	Rear Corner Stone Guards (Kick Plate Height) With Sealed Top Edge.	1
	ELECTRICAL SYSTEM	1

09/10/2021 09:42:22






Quote No: 01227-0002

Page 10

PART NO	DESCRIPTION	QTY
40-00-0550	 <p>Elite G3 Touch Screen Electrical System Includes: (1) Front Switch Panel, (1) Rear Switch Panel. (2) Carling Switches with Stainless Steel Guard LL# E24072(1) Center Strip Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Standard Location Is The R.F.S. Cabinet. (1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator. (3) Power Point Studs - They Will Include A Full-time Hot, Battery On (Ignition Hot), & Ground. These Are Rated 20 AMPS Or Less. Locate in Auxiliary Electrical Cabinet. (1) Back-Up Camera White (ASA VCMS20) (This Camera Will Always Be Displayed Thru The Elite Front Touch Screen And The Camera Head Will Be White Unless Otherwise Specified) Specify (VCMS20B) For Black Dome Lights On Low With Entry Door. (On High Is Not An Option) The R.F.S. Switch To Turn On the Center Strip Lights. Inverter Will Come On With Ignition Along With Button Provided On Switch Panel.</p>	1
40-00-6020	<p>Additional Camera Head (Elite Touch Screen System Only) Specify Camera Head Color: VCMS20-White Specify Location(s): Patient area recessed in the rear overhead cushion facing forward-Centered.</p>	1
40-01-2000	<p>Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm.</p>	1
40-01-5000	<p>Super Auto Eject Shoreline - 20 Amp Specify Location: Above D2 Specify Inlet Cover Color: (White) Stainless Steel Shoreline Plate: #LL1602SS SPECIAL NOTE ABOUT 115 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps. This Unit As Ordered Has A Total 115 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment.</p>	1
40-01-6900	<p>**FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present.</p>	1
40-01-7500	<p>Shoreline On Indicator Light (Exterior) Mounted Above Or Near The Shoreline Inlet. (Red LED). Whelen "OS" Series Non-Flashing Is The Std. Light</p>	1

09/10/2021 09:42:23




Quote No: 01227-0002

PART NO	DESCRIPTION	QTY
40-02-3500	 <p>Vanner 20-1050 CUL 1000W Inverter With Display Includes 55 Amp Battery Charger Specify Remote Charger Display Location: Action Area Specify Remote Inverter Display Location: Action Area</p>	1
40-03-1500	Delete Action Area Dual 2.4 amp USB Charger And 20 Amp 12v Outlet	1
40-03-2000	 <p>R.F.S. Cabinet Dual 2.4 amp USB Charger And 20 amp 12v Outlet Mounted In The Lower Section On Wall #1. Full Time Hot Circuit.</p>	1
40-03-5500	<p>Add 12 Volt Power Outlet (Ea) Full Time Hot Circuit. Specify Location: (1) Streetside Wall in Telemetry Area. (1) Upper ALS Cabinet on Wall #1 centered. This is section above the environment cabinet.</p>	2
40-03-6000	Action Area 125 Volt Standard Style Hospital Grade Outlet	1
40-03-7000	R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet Mounted In The Lower Section On Wall #1.	1
40-03-8500	<p>Add 125 Volt Standard Style Hospital Grade Outlet (Ea) Specify Location: (1) Telemetry Area Right Of 12V Outlet.</p>	1
40-03-8610	 <p>Add Dual USB Charging Port Specify Location: Head of Action Area Cabinet Above 125V Outlet LL Part #E26095</p>	1
40-03-8612	 <p>Leviton Dual USB Charger & 125V Power Outlet (Heavy Duty Hospital Grade) LL# E24067 Model # T5632HGI Outlet LL# E24018 SS Outlet Cover LL# LL0138 Black ABS Spacer LL# E24066 Fiberglass Enclosure Specify Location: Locate on passenger side of Troy Console at top front side area for ease of access form passenger seat.</p>	1
40-04-3800	 <p>Smithworks 12 Volt Floor Mount IV Fluid Warmer Tray (Ea) Specify Cabinet Location: Circuit Is Wired 12 Volt Full Time Hot. REQUIRES BATTERY CHARGER. MANUFACTURER WARRANTY ONLY APPLIES.</p>	1
40-04-4000	Power Door Locks For Side Entry & Rear Entry Doors	1
40-04-4500	<p>Additional Power Door Lock (Ea) Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Location: D1, D2, D3, D4,D5, P1, P5</p>	6

09/10/2021 09:42:23

Quote No: 01227-0002



Page 12

PART NO	DESCRIPTION	QTY
40-04-5500	 Hidden Switch In Grille For Power Door Locks (Unlock Only) Unlocks Modules Only For F Series	1
40-04-7000	Interior Body Switch For Power Door Locks (Ea) Specify Location: 1-Side Entry Door 1 Rear Entry Door Next to Dump Override Switch Unlocks Modules Only For F Series	2
40-05-0501	2 Kenwood Speakers Mounted In The Ceiling Volume Control Mounted In The Street Side Action Area. KFC-1366S Speakers.	1
40-05-1600	12 Volt Power And Ground Circuit For Flashlight (Ea) Specify Location: D-3 on right hand side of air compressor cage. D-5 on top of shelf on right side of compartment. 5amp circuit ea.	2
	INTERIOR LIGHTING	1
45-01-0000	Oxygen Compartment Light	1
45-01-0700	Whelen 0SC0EDCR Side Entry Door Stepwell Light (Ea)	2
	Whelen 0SC0EDCR Clear LED With Chrome Bezel.	
45-01-1500	 8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome With White Trim 4-Streetside 4-Curbside TecNiq# E08-LW00-1	1
45-01-3000	14" TecNiq LED Action Area Light	1
45-01-4600	14" TecNiq LED Light In The Telemetry Area	1
45-01-5510	 6 - 3" Round Super-LED Surface Mounted Lights Down Center Strip Whelen Part #3SC0CDCR With #3FLANGEC Chrome Flange With Gasket.	1
45-01-8600	TecNiq Model E41 LED Strip Light For Interior Cabinet Each Specify Cabinet Location(s): (2) LRO Cabinet-18" PN# E22140 (2) LFO Cabinet-18" PN# E22140 (2) in Environmental Cabinet-9" PN# E22137 (2) Upper RFS Cabinet-9" PN# E22137 (2) LR Base Wall Cabinet-18" PN# E22140 Cabinets 10" Tall And Above Will Have A Strip Light Installed Vertically On Wall #1 And #3. (This Does Not Include The R.F.S. Cabinet With IS/OS Access As That Is Covered Under Ext. Compartment Lights) Cabinets Shorter Than 10" Will Have A Strip Light Installed Horizontally Across The Top Just Inboard Of The Door Frame.	5
45-02-3000	Brake Light Mounted On The Rear Head Cushion (Ea) Mount On Each Side Of The Clock On The Rear Head Cushion.	2

09/10/2021 09:42:23

Quote No: 01227-0002

Page 13

PART NO	DESCRIPTION	QTY
	("OS" Series Red LED).	
45-02-4000	Rear Turn Lights Mounted On The Rear Head Cushion (Pr) Mounted On Each Side Of The Rear Head Cushion. ("OS" Series Amber LED).	1
	EXTERIOR LIGHTING	1
50-01-0001	Whelen M6 Series "LED" Stop/Tail Lights (Pr) #M6BTT Mounted Above The Rear Kick Plate.	1
50-01-6001	Whelen M6 Series "LED" Amber Turn Lights (Pr) #M6T Mounted Above The Rear M6 Series LED Stop/Tail Lights. They shall be programmed to flash sequentially in the direction of the arrow	1
50-02-7000	Whelen M6T Series "LED" Amber ArrowTurn Light IATS (Pr) Specify Location: Front Wall Below Outer Warning Lights Programmed To Flash Sequentially In The Direction Of The Arrow.	1
50-02-9000	C.P.I. License Plate Housing	1
50-02-9501	Whelen M6 Series LED Back-Up Lights (Pr) #M6BUW Mounted Above The Rear Turn Lights.	1
50-03-4902	Two Reverse Activated Whelen M7ZC LED Rear Load Lights	1
50-03-8401	Whelen M9LZC Side Scene Lights (Two Each Side)	1
50-03-9000	Right Side Scene Lights On With Open Side Entry Door	1
50-04-2000	Rear Side Scene Lights On In Reverse IATS	1
50-04-5510	3" Round Super-LED Surface Mounted Compartment Door Flashing Light (Ea) Specify Location(s): Lower Outer Area-D2, D3, D5, P1, P5 Part # 3S*00F*R Specify LED & Lens Color: RED	5
50-04-5700	 Recessed Truck-Lite 60 "LED" Door Light (Red or Amber)(Ea) Specify Location And Color: R1, P2 Lower Outer Corners E23019 60052R "60" LED Trucklite Red with Chrome Trim	3
50-04-7000	Under Body Lights (2 Each Side) Switched On By Open Compartment Door Circuit. (9" LED Tube Lights). EMERGENCY PARK BRAKE MUST BE APPLIED FOR CIRCUIT TO WORK. Rear lights on curbside to be mounted aft of the rear wheels.	1
50-04-7500	 Federal Commander COM1 "LED" ICC Marker Lights COM1MC-A=Amber COM1MC-R=Red	1
50-DL-0100	Pioneer Plus Flood/Spot Light Specify Custom Option: PFS2B Light Install (1) Black PFS2B 12 volt Whelen Pioneer Plus Flood/Spot Light.	1

09/10/2021 09:42:23

Quote No: 01227-0002

Page 14

PART NO	DESCRIPTION	QTY
	<p>Light will be controlled by (2) of the Ford Auxiliary Switches on Ceiling. One switch for Flood Light. One switch for Spot Light. Install Label for each switch. Light not to be integrated into Elite System.</p> <p>Mount on the bar above the Whelen Dominator Light in the front grille guard. Will have a mounting bail bracket. PN# PBA206BU to mount to front grille guard.</p> <p>***RADIO PROVISIONS AND AIR HORNS*** Pricing does not include installation of customer supplied radio equipment unless otherwise stated. All customer supplied radio equipment must be received at Life Line prior to construction start date.</p>	1
55-01-3120	<p>10"/12" Buell Strombos Air Horns Thru Bumper Valance F-Series w/HD RR Compressor Includes: LL# F15008 Heavy Duty Rapid Recovery Compressor Specify Compartment For Compressor Location: D3 Mesh Cover Over Pump One Standard Frame Mounted Air Tank (1) LL# F15001 10" Air Horn (1) LL# F15002 12" Air Horn Specify-Push Button Switch Location: Push Button Switch on front console to the left of Howler switch.</p>	1
55-01-8500	<p>KE-794 Antenna Base With Coax Specify Termination Location: (1) Front Module Roof To The Auxiliary Electrical Cabinet. Coil, Zip Tie & Tag Include rain caps on all module roof antenna bases</p>	1
55-02-1500	<p>KE-794 Module Roof Antenna Base/Coax (Ea) Specify Termination Location: (1) Mid Module Roof to Action Area Cabinet. (1) Rear Module Roof to Behind Drivers Seat Base.</p> <p>Coil, Zip Tie & Tag Include rain caps on all module roof antenna bases</p>	2
55-02-5500	<p>Radio Pre-Wire Power And Ground 20 AMP Or Less Circuit (Ea) Full Time Power And Ground And Battery On (Ignition On) Circuits. Butt Splice Termination Points. Specify Termination Location: (1) Front Console (1) Action Area Behind the Clock</p> <p>Coil, Zip Tie & Tag</p> <p>14 Gauge Wire Will Be Used in this Option. If Larger Gauge Wire is Required You Must Use Option 55-02-5700 or 55-02-5800.</p>	2
55-02-6500	<p>Install Customer Supplied Radio Cables (Ea) Specify Routing And Termination Location:</p>	2

09/10/2021 09:42:23

Quote No: 01227-0002

Page 15

PART NO	DESCRIPTION	QTY
	(1) From the Front Console to the Auxillary Electrical Cabinet in the Streetside Aisle. (1) From the Action Area Behind the Clock to the Auxillary Electrical Cabinet in the Streetside Aisle. CABLES MUST BE AT LIFE LINE PRIOR TO CONSTRUCTION START. Ship to: Life Line Emergency Vehicles 1021 West 1st Street Sumner, IA 50674 **NO EXCEPTIONS** ALL CABLES MUST BE MARKED FOR ORIGIN AND TERMINATION. ANY CABLE THAT IS NOT MARKED WILL NOT BE INSTALLED. **NO EXCEPTIONS**	
55-DL-0100	Radio Pull Wire Specify Custom Option: Install a pull wire from behind drivers seat base to action area cabinet.	1
	SIRENS AND EMERGENCY LIGHTING	1
60-01-3700	Delete Standard Whelen295HFS2 Siren System (Credit)	1
60-01-7610	Whelen Howler Low Frequency Siren Specify Switch Style (Button) and Location Install Howler switch on front console. Black momentary button on Passenger side of blank plate below siren controller. NOTE: CANNOT Use The Whelen Howler With The EQ2B Siren As Federal And Whelen Are Not Compatible.	1
60-01-9001	4 Whelen M9 Series "LED" Side Module Warning Lights Part # M9RC Red w/Clear Lens Mount The Side Lights Inline. Comet Flash Pattern:	1
60-02-5000	Delete The 2 Standard Front Module Warning Lights (Credit)	1
60-02-8100	Delete The Standard Center Front Module Warning Light (Credit)	1
60-02-9501	2 Whelen M9 Series "LED" Rear Module Warning Lights Part #M9RC: Red w/Clear Lens Comet Flash Pattern:	1
60-04-4500	Delete The Standard Rear Center Warning Light (Credit)	1
60-05-0205	Delete The 2 Whelen ION Wide Angle Super "LED" Grille Lights (Type I) (Credit)	1
60-05-0494	2 Whelen M7 Series "LED" Intersection Lights (Type I) Part #M7RC Comet Flash Pattern: Pri/on Sec/off	1
60-06-6001	2 Whelen M7 Series "LED" Rear Wheel Well Lights M7RC Red w/Clear Lens Comet Flash Pattern: Pri/on Sec/off	1

09/10/2021 09:42:23

Quote No: 01227-0002




Page 16

PART NO	DESCRIPTION	QTY
60-07-1530	<p>7 Whelen M9 Series "LED" Front Module Warning Lights Clear Lens</p> <p>Specify Whelen</p> <p>(4) Part # M9D Split Red/Clear Position 2,3,5,6</p> <p>(2) Part# M9RC Red LED with clear lens Position 1,7</p> <p>(1) Part# MRC Clear LED Position 4</p> <p>Red-Red/Clear-Clear/Red-Clear-Clear/Red-Red/Clear-Red</p> <p>Steady Flash Unless Otherwise Specified</p> <p>Comet Flash Pattern:</p> <p>POSITIONS 2,3, 5 & 6 Pri/on Sec/off.</p>	1
60-08-2000	<p>Pre Wire For Opticom With Park Disable Feature</p> <p>Includes Park Disable Circuit.</p> <p>Specify Pre Wire Termination Location: Front wall under center clear. The pre-wire for the opticom is to be a power and ground wire; Not Strobe Cable.</p>	1
60-08-8700	<p>Whelen TAL85 47" "LED" Rear Traffic Advisor</p> <p>With 45' Interconnect Cable</p> <p>With 8 Amber "LED" Lamps.</p> <p>Specify Remote Location:</p> <p>Front Console Flat Area Below Touch Screen in Line with Siren Control.</p>	1
60-10-0001	<p>Whelen M7 Red Or Amber Or Blue Or Clear "LED" Light (Ea)</p> <p>Specify Color: M7AC Amber LED with clear lens</p> <p>Locate on Rear Wall Centered above Doors.</p> <p>Comet Flash Pattern</p>	1
60-DL-0100	<p>Whelen 295SLSA6 Siren Control</p> <p>Specify Custom Option:</p> <p>Install Below Elite Touch Screen in Line With Traffic Advisor.</p>	1
60-DL-0200	<p>Whelen Dominator Light on Brushguard</p> <p>Specify Custom Option:</p>	1
60-DL-0300	<p>LINZ6 Lights</p> <p>Specify Custom Option:</p>	2
	PATIENT COMPARTMENT	1
65-00-0100	Standard Solid Surface Construction Interior Cabinets	1
65-00-9900	<p>SPECIAL NOTE TO DEALER</p> <p>Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.</p>	1
65-01-2000	Standard Smooth Headliner	1
65-01-3000	<p>1/4" Clear Polycarbonate Sliding Doors On Cabinets</p> <p>Includes Brushed Finish Interior Trim.</p>	1
65-02-2214	<p>"LL Standard Package" Stryker Power Load System</p> <p>This is the Stryker Power Load Option.</p> <p>Will Be Center Mount Unless Otherwise Specified</p> <p>Includes:</p> <p>Floor Structure - Tapping Blocks</p> <p>Pre-Wire with 10 Gauge Power and Ground with a 15 Amp Circuit Breaker Powered by Shoreline or Battery on Power. The Power And Ground Is Run To Inside The Track.</p>	1

09/10/2021 09:42:24

Quote No: 01227-0002


Page 17

PART NO	DESCRIPTION	QTY
	Power & Performance Load Floor Plate Kit #6390-700-001 - (Needs To Include Track Cover) Push Rail Floor Mount Only Stryker Part# 6360-30-11	
	Includes Hardware Kit F09053 Which Is (2) Silver Knobs (2) Threaded Stryker Plates To Install In The Track If Customer Or Dealer Needs To Install Antlers. These Are To Be Installed In The Track By Life Line Installer.	
65-02-7500	L.R.O. Cabinet With Sliding Polycarbonate Door To include [1] Adjustable PVC shelf	1
65-03-3500	Cabinet Above The Side Seat With Speed Load Door To be 8.25"H With Positive Lock Feature.	1
	NOTE TO DEALER: Because of the wheel well comp't the headroom between CPR seat and Cabinet will not mead a K spec	
65-03-7000	L.F.O. Cabinet With Sliding Polycarbonate Door To include [1] Adjustable PVC shelf	1
65-04-1000	Left Rear Base Cabinet With Sliding Polycarbonate Door Includes (2) Adjustable shelves This cabinet will have no dividers.	1
		
65-04-6600	Delete Standard Telemetry Area Cabinet	1
65-04-8100	Delete Standard Lower Telemetry Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-04-8500	Action Area Cabinet With Sliding Polycarbonate Door	1
65-05-2100	Delete Standard Lower Action Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-2600	Sharps Container In The Trash Cabinet THIS INCLUDES BOTH A SHARPS AND WASTE CONTAINER IN THE STD. LOWER ACTION AREA TIP-OUT TRASH CABINET. 8900 Sharps	1
65-05-4000	Side Facing CPR Seat w/Contoured Ergo Backrest & 4-Point Seat Belt Includes Black IMMI 4-Point Seat Belt. DA-324 Gunmetal	1
		
65-05-8500	EVS 1880S Child Rear Facing Seat On Pedestal/Swivel Base Specify Medi-VAC Color: MV101-Ash #1880S Seamless EVS Seat. Requires EVS Provided Pedestal Base For Compliance. Includes 3-Point Seat Belt. Question: Will there be an O2 Bottle Attached to the Head of the Cot? Yes Requires Lower Streetside Aisle Cabinet And Bulkhead Wall Cabinet	1
		

09/10/2021 09:42:24

Quote No: 01227-0002






Page 18

PART NO	DESCRIPTION	QTY
	For Overflow Electrical Equipment.	
65-05-9795	Delete Contoured Ergo Backrest/IMMI 4 Point Seatbelt (Ea)	1
65-06-2500	Rear Facing Electrical Cabinet And Door With Lock	1
65-06-9500	Right Front Upper ALS Cabinet With Solid Doors Both doors on Right Front Upper ALS cabinet will get C5 locking latches.	1
65-07-3000	Right Front Lower ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Door With Vented Polycarbonate Inserts.	1
65-07-9500	CS Squad Bench w/Contoured Ergo Backrests w/2 Piece Lid & Divider Includes 2 Sets Of Black IMMI 4-Point Seat Belts Includes 3 Cot Restraints & Retractors. DA-324 Gunmetal	1
65-08-4900	 Formed Stainless Removable "A" Bar At Head Of Squad Bench Mounted At The Head Of The Squad Bench ILOS Cushion Area. DELETES STANDARD HEAD PAD #65-08-35. DELETES STANDARD ASSIST RAIL #65-10-20.	1
65-08-5700	Docking Hardware For Removable "A" Bar Mounted On The Side Entry Door Lower Inside Panel. Includes Color Matched Removable Protective Cover.	1
65-08-8500	Squad Bench Headrest Cushion	1
65-09-2000	Two Section Bandage Cabinet With Speed Load Doors With Positive Lock Feature. Specify Cabinet Depth: 8" Deep x 8.25" High	1
65-09-6000	CPI Latching Single Glove Box Holder w/Clear Lid In Cushion Area Above Doors(EA) Recessed Storage Box With Top Hinged Clear Latching Plexiglass Door. Specify Location: Above Rear Entry Doors	2
65-09-6100	CPI Latching Triple Glove Box Holder w/Clear Lid In Cushion Area Above Doors(EA) Recessed Storage Box With Top Hinged Clear Latching Plexiglass Door. Specify Location: Above Side Entry.	1
65-09-8500	100" Long Formed Streetside Ceiling Grab Rail	1
65-09-9500	100" Long Formed Curbside Ceiling Grab Rail	1
65-10-0500	Formed "L" Door Assist Rails Mounted On The Hinge Side	1
65-10-2500	Formed Assist Rail On The Left Rear Wall 12" Assist Rail Is Std. Size.	1
65-10-4000	Add Formed Assist Rail Specify Length:24" Specify Location:Right Rear Wall	1
65-10-5000	Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position.	1

09/10/2021 09:42:24

Quote No: 01227-0002

Page 19

PART NO	DESCRIPTION	QTY
65-10-7000	 Button Style IV Bracket (Ea) Specify Location: Front Side of Cabinet A Between O and P Includes A Velcro Strap For IV Bag For Any Vertically Mounted Button IV Hook Unless Otherwise Specified. (This Does Not Include Ceiling Mounted Or On The Underside Of Cabinets)	2
65-11-1000	Black Southco C5 Lever Cabinet Latches All Cabinets Except Polycarbonate Doors.	1
65-11-3000	Cabinet Drawer (Ea) Specify Cabinet Location: (1) Below telemetry area-maximize size (1) Below action area-same location where laptop drawer would be located. Customer not using for laptop storage.	2
65-12-2600	 Intellitec Clock/Time Manager Mounted In The Action Area	1
65-12-3600	 Locking Cabinet Door (Separate Cylinder Lock) Specify Cabinet Location: Action Area Drawer	1
65-12-3700	Southco C5 Black Locking Cabinet Door (Ea) Specify Cabinet Location (s): (1) Top RFS Cabinet (1) Upper RFS Cabinet (1) Electrical Door Use Southco C5 Locking latches	3
65-12-5200	 Simplex 900 Series Lock (Ea) Specify Location: On middle section of the RFS Cabinet. This is the Environmental cabinet with the Hoseline ESC-15 Unit.	1
65-12-9800	 Tip Out Trash And Sharps Container LL# F18152 Trash 8900 Sharps Specify Location: Head of Squad Bench Facing Aisle.	1
65-13-3500	Rubber Insert IV Pump Pole W/Button IV Hook (Ea) Specify Location: Outside corner of action area at bottom of the LFO cabinet to top of counter top.	1
65-13-7000	6" High Brushed Scuff Protector On Left Wall	1
65-14-0500	6" High Brushed Scuff Protector On Right Wall	1
65-14-3500	Add Inventory Control Holes In All Sliding Polycarbonate Doors	1

09/10/2021 09:42:24

Quote No: 01227-0002

Page 20

PART NO	DESCRIPTION	QTY
65-15-0018	Interior Laminate: Gunmetal (Fog) High Gloss D355-01	1
65-17-0501	EVS Seamless/Medi-Vac Vinyl Color: Ash MV101 (Light Gray)	1
65-18-0006	Welting Between Cabinets: Black	1
65-19-0010	Counter Tops (Main): Dove Standard with 1" Lip	1
65-20-0011	Counter Tops (Accent Stripe): Platinum Standard with 1" Lip	1
65-21-0035	Lonseal Floor Selection: Lonplate II #443TX Midnight Rolled Up 4" On Both Sides Unless Otherwise Specified.	1
65-CS-3000	Total Available Seating Positions In this Unit Including Cab, Module And Cot	7
65-DL-0100	Marker Board Specify Custom Option: Locate on vertical wall at rear of squad bench. Marker board will face the squad bench.	1
	PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS	1
70-01-0000	Static Module Fresh Air Intake Vent	1
70-01-1000	12 Volt Powered Exhaust Fan	1
70-01-2300	Ducted ProAir Center Mounted Heat/AC Location ILOS Includes Center Evaporator/Heater Core Location. Includes #65-07-5300 Top Hinged Top R.F.S. Cabinet. Evaporator Model #311-940	1
65-07-5300	-- Top R.F.S. Cabinet W/Top Hinged Solid Door ILOS Heat/AC Includes Gas Style Hold-Opens.	1
65-07-5410	-- Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount)	1
70-01-2400	Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.	1

09/10/2021 09:42:25

Quote No: 01227-0002

Page 21

PART NO	DESCRIPTION	QTY
70-01-4500	ProAir Undermount Auxiliary 12 Volt A/C Condenser (Type I Modular Body) Specify Mounting Location: Below D-3 Condenser Model #106 Install Rubber Debris Flaps On The Forward And Rear Edges.	1
70-01-6000	Yellow Certifoam High Density Insulation Body/Floor/Doors (R-6) GAS CHASSIS' INCLUDE HEAT BARRIER THIS GOES ON THE HEAT SHIELD THAT GOES OVER THE AXLE. THIS ALSO GETS THE THERMO HEAT INSULATION BLANKET ON THE BOTTOM OF THE FLOOR AND GOES FROM THE FRONT OF THE MODULE TO THE FUEL TANK.	1
70-01-6600	Automotive Grade Undercoating Under Module Body	1
70-02-1510	Hoseline ECS-15 Environmental Controlled Cabinet Includes Dual Mode Power Supply. Includes Battery Cut Out Device. Includes Insulated Cabinet (Life Line). Unit is constant temp at 70 degrees Specify Cabinet Location: Upper ALS cabinet in the lower section.	1
70-02-2725	ACTIVTEK Induct 500 Air Treatment System Install An ACTIVTEK Induct 500 Air Treatment System Installed in return air duct with no filtration or after filtration. System Is Powered Thru The Shoreline And Chassis 12 Volt System. System Includes (2) Extra UV Light/filters.	1
	OXYGEN SYSTEM	1
75-01-0000	Ohio Style Action Area Oxygen Outlet	1
75-01-2000	Ohio Style Ceiling Mounted Oxygen Outlet	1
75-01-4000	Ohio Style Right Wall Mounted Oxygen Outlet	1

09/10/2021 09:42:25

Quote No: 01227-0002

Page 22

PART NO	DESCRIPTION	QTY
75-01-8000	Interior Oxygen Access/Viewing Door ACCESS DOOR WILL BE POLYCARBONATE FRAMED DOOR UNLESS OTHERWISE SPECIFIED.	1
75-02-3500	ZICO "OTS System" Electric Oxygen Lift Bracket Includes (3) Ratchet Straps. Specify Bracket Location: D2 Specify Tank Size: 7" x 43" M Tank Specify Aluminum Or Steel Tank: Steel	1
	SUCTION SYSTEM	1
80-01-0000	12 Volt Gast Suction Pump Controlled By Switch on Switch Panel	1
80-01-1500	1 Ohio Style Action Area Suction Outlet Includes Disconnect For Outlet Hose Barb Must Fit The Suction Hose	1
80-01-7500	SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable Trap Set.	1
	PAINT	1
85-00-0100	Standard AkzoNobel Paint Process Includes 6 Year Pro-Rated LL Paint Warranty.	1
85-01-0500	Repaint Chassis ILOS O.E.M. White (Type I or Highliner) Specify Color: Touch-Up Paint Is Included For Colored Chassis.	1
85-01-1500	Paint Module Body Other Color ILOS O.E.M. White Specify Color: Touch-Up Paint Is Included For Colored Module Body.	1
85-01-4500	Delete Standard Beltline Stripe	1
85-02-9500	Do Not Paint The Nader Pins/Install After Paint Process	1
85-03-2500	Delete Standard Edge Pinstripe	1
	EMBLEMS AND DECALS	1
90-01-0000	Federal Star Of Life/Ambulance Decal Package Install Roof Star Of Life Decal. Ship Remainder Of Decals Loose. (2) 4" Star Of Life Decals. (2) 12" Star Of Life Decals. (2) 18" Star Of Life Decals. (3) 6" AMBULANCE Decals. (1) 4" Reverse AMBULANCE Decal.	1
90-01-1100	"NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1

09/10/2021 09:42:25

Quote No: 01227-0002

Page 23

PART NO	DESCRIPTION	QTY	
90-01-1200	No Other Decals or Lettering Included Unless Specified Below	1	
	END OF QUOTE/PRODUCTION ORDER	1	
95-SP-0100	1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1	
95-SP-0200	1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1	
95-SP-0600	Change After Sign-Off (Published Price + 50%)	1	
95-SP-0700	Change After Production Start (Published Price + 75%)	1	
95-SP-0800	Change After Production Completion (Published Price + 100%)	1	
95-SP-0850	Life Line Indemnification Statement The purchaser agrees to defend, indemnify and hold Life Line harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for.	1	
	SIGNATURE-LIFE LINE EMERGENCY VEHICLES This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles. THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS. Date Of Order: 07-13-21 Franchised Distributor: Southeastern Specialty Vehicles Quote Number: 01227 Ordered By: _____	1	
	Total		270,970.00

Board of Supervisors
County of Prince George, Virginia

Resolution

At a regular meeting of the Board of Supervisors of the County of Prince George held in the Boardroom, Third Floor, County Administration Building, 6602 Courts Drive, Prince George, Virginia this 28th day of September, 2021:

Present:

Vote:

Floyd M. Brown, Jr., Chairman
Marlene J. Waymack, Vice-Chair
Alan R. Carmichael
Donald R. Hunter
T. J. Webb

A-3

On motion of _____, seconded by _____, which carried unanimously, the following Resolution was adopted:

RESOLUTION; APPROVAL OF AMBULANCE PURCHASE AND AWARD OF CONTRACT TO SOUTHEASTERN SPECIALTY VEHICLES (\$270,970)

WHEREAS, the Prince George County Fire & EMS Chief is recommending the purchase of a 2021 Superliner Ambulance to replace an existing ambulance 2012 ambulance that will be utilized as a spare; and

WHEREAS, staff is recommending the purchase be made from Southeastern Specialty Vehicles through a HGAC cooperative contract #AM10-20 in the amount of \$270,970; and

WHEREAS, sufficient funding is available within the Fire & EMS Apparatus account within the County-wide Capital Improvement Project (CIP) Fund sourced by a devoted two cents of the annual Real Property Tax collections under Prince George County Ordinance §74-4; and

WHEREAS, Staff is requesting authorization for the County Administrator to execute a contract with Southeastern Specialty Vehicles totaling \$270,970 utilizing cooperative HGACBuy Contract AM10-20.

NOW, THEREFORE, BE IT RESOLVED That the Board of the Supervisors of the County of Prince George this 28th day of September, 2021, hereby authorizes the County Administrator to execute a contract with Southeastern Specialty Vehicles for the purchase of a new 2021 Superliner Ambulance in the amount of \$270,970.

A Copy Teste:

Page 2 of 2

Percy C. Ashcraft
County Administrator